

At Ledlenser, we pride ourselves in superior quality in everything we do. From design all the way to manufacturing our product, we push the boundaries of innovation every step of the way.

All Ledlenser lights purchased from an authorized reseller are backed by a five-year warranty. An additional two years can be added to this warranty – seven years in total – if the user registers their product. Each light comes with a product registration card and unique product code. The user can simply scan the included QR code on the product registration card and follow the prompted instructions or enter the URL on a web browser. Once the product information has been entered on our website, the warranty becomes a full seven-year warranty.



THERE IS MORE!

Follow the QR code to our full line product catalog.

d the values for the luminous period (hours/h) refer to the lowest setting. For .max. – min." range, in terms of ninous flux (lumens/lm) and luminous range (meters/m), the range from the brightest setting (first value) to the vest setting (second value) is given. With regards to the values of the luminous period (hours/h), the range from the brightest setting (first value) to the properties of the value of the luminous period (hours/h), the range from the value of the luminous period (hours/h), the range from the value of the luminous period (hours/h), the range from the value of the luminous period (hours/h), the range from the value of the luminous period (hours/h), the range from the value of the luminous period (hours/h), the range from the value of the valu

oducts in the "Solidline" series, Ledlenser K1 and Ledlenser K2, as well as defective batteries, holsters, por mote switches, cotor filters, imprints and surface coatings. The warrantor is Ledlenser GmbH & G. KG. Kro 7, 42699 Solingen, Germany. For more information visit ledlenserusa.com/pages/service-warranty





Ledlenser USA 80 SE Madison #130 Portland, OR 97214

ledlenserusa.com



© @ledlenserusa



f @ledlenseramericas

• LEDLENSER

HUNTING & FISHING -









		rect)	rect,	
		MT10	MT14	MT18
		Maxmin.	Max.–min.	Max.–min.
- <u>`</u> Ċ́-	Light Output¹ (lm)	1000–10	1000–10	3000–30
⇔	Beam Distance ¹ (m)	180–20	320–30	540-80
<u>(L)</u>	Run Time ¹ (h)	144-6	192–9	96–5
1111	Battery Type	Battery Pack 3.6V	1x 26650 3.7V	Battery Pack 3.7V
<u>(L)</u>	Charge Time ² (Hours/Minutes)	6h	8h	8h
٦	Rechargeable	Yes	Yes	Yes
ğ	Length (mm) Weight g (incl. Batteries) oz	128 mm 156 g 5.6 oz	151 mm 253 g 9.0 oz	171 mm 620 g 21.9 oz
	Contents	1 rechargeable battery, pouch, wrist strap, pocket clip, USB cable	1 rechargeable battery, USB cable, wrist strap, pouch	1 rechargeable battery, USB cable, adapter, adapter cable, wrist strap, pouch
	TECHNOLOGY			
	Advanced Focus System	•	•	•
	Smart Light Technology	•	•	•
	Rapid Focus	•	•	•
	X-Lens Technology	_	-	•
	Temperature Control	•	•	•
	Item no.	880380	880381	880382
	Price, MSRP (\$) USA Canada	79.95 USD CAD 107.95	99.95 USD CAD 134.95	199.95 USD CAD 269.95











	P6R CORE QC	P7R CORE	P17R CORE	
	Max.–min.	Max.–min.	Max.–min.	
- Light Output¹ (lm)	270–15 (white light)	1400–15	1200–15	
→ Beam Distance¹ (m)	335–15	300–15	560–50	
Run Time ¹ (h)	110–5	90-2	200–2.75	
Battery Type	1x Li-ion Batterypack 3.7V	1x 21700 Li-ion Battery 3.7V	1x LiFePO4 Batterypack 6.4V	
Charge Time ² (Hours/Minutes)	3h 20min	4h 30min	4h 30min	
Rechargeable	Yes	Yes	Yes	
Length (mm) Weight g (incl. Batteries) oz	157 mm 207 g 7.3 oz	158 mm 202 g 7.1 oz	290 mm 715 g 25.2 oz	
Contents	1 battery set, lanyard, USB charging cable	1 battery set, lanyard, magnetic charging cable	1 set of batteries, intelligent clip wall bracket, power adapter, magnetic charging cable	
TECHNOLOGY				
Advanced Focus System	•	•	•	
Smart Light Technology	-	•	•	
Rapid Focus	•	•	•	
Dual Power Source	•	_	-	
Temperature Control	_	•	•	
Item no.	880620	880518	880512	
Price, MSRP (\$) USA Canada	99.95 USD CAD 144.95	129.95 USD CAD 187.95	249.95 USD CAD 361.95	







P2R CORE



P4R CORE







		Maxmin.	
- <u>`</u> Ċ-	Light Output ¹ (lm)	120-15	
⇔	Beam Distance ¹ (m)	65-15	
<u>(L)</u>	Run Time ¹ (h)	5-0.5	
<u></u> ,	Battery Type	1x Li-ion Battery 3.7V	
<u>(L)</u>	Charge Time ² (Hours/Minutes)	2h 30min	
٩	Rechargeable	Yes	
ğ	Length (mm) Weight g (incl. Batteries) oz	103 mm 36 g 1.3 oz	
	Contents	1 battery set, pocket clip, USB charging cable	1
	TECHNOLOGY EXAMPLE		
	Smart Light Technology		
	Flex Sealing Technology		
	Magnetic Charge System		
	Temperature Control	_	
	Advanced Focus System	•	
	Item no.	880513	
	Price, MSRP (\$) USA Canada	39.95 USD CAD 57.95	4

Max.–min.	
200-15	
90-15	
25-1.5	
1x Li-ion Battery 3.7V	1:
2h 30min	
Yes	
150 mm 55 g 1.9 oz	
1 battery set, pocket clip, USB charging cable	
_	
•	
880514	

Max.–min.	Max
500-15	900-
250-40	240-
25-1	240-
1x 14500 Li-ion Battery 3.7V	1x18650 Li-ion
2h	5h
Yes	Ye
123 mm 106 g 3.7 oz	158 mm 1
1 battery set, lanyard, magnetic charging cable	1 battery se magnetic cha
•	•
•	•
•	•
•	•
•	•
880515	8805
79.95 USD CAD 115.95	99.95 USD 0

	P6R CORE
	Maxmin.
	900-15
	240-25
	240-25
3.7V	1x18650 Li-ion Battery 3.7V
	5h
	Yes
)Z	158 mm 170 g 6 oz
, ile	1 battery set, lanyard, magnetic charging cable
	•
	•
	•
	•
	880516
25	99.95 USD CAD 144.95





- 01 Extreme dust and water protection (IP68)
 02 Advanced Focus System stepless focusable
 03 Flex Sealing Technology can be used for a short time underwater
- (including the focusing system) to a depth of one meter **04 Multi-Core Optics** homogeneous beam made possible by special faceting
- 05 Personalize the light functions thanks to Smart Light Technology
 06 Convenient and safe charging of the battery thanks to the Magnetic Charge System









			ge l	rech	
		P6R SIGNATURE	P7R SIGNATURE	P18R SIGNATURE	
		Maxmin.	Maxmin.	Max.–min.	
- <u>`</u> Ċ́-	Light Output ¹ (lm)	1400-15	2000-15	4500-30	
⇔	Beam Distance ¹ (m)	240-20	330-20	720-50	
<u>(L)</u>	Run Time ¹ (h)	60-1.25	90-2	70-2.5	
<u></u> ı	Battery Type	1x 18650 Li-ion Battery 3.6V	1x 21700 Li-ion Battery 3.7V	1x Li-ion Batterypack 11.1V	
Ŀ	Charge Time ² (Hours/Minutes)	3h 45min	4h 30min	5h 30min	
٩	Rechargeable	Yes	Yes	Yes	
ğ	Length (mm) Weight g (incl. Batteries) oz	151 mm 170 g 6 oz	158 mm 202 g 7.1 oz	171 mm 637 g 22.5 oz	
	Contents	1 set of batteries, leather belt pouch, lanyard, magnetic charging cable, pocket clip, USB power adapter, wall bracket	1 set of batteries, leather belt pouch, lanyard, magnetic charging cable, pocket clip, USB power adapter, wall bracket	1 set of batteries, lanyard, USB power adapter, magnetic charging cable	
	TECHNOLOGY				
	Smart Light Technology		•	•	
	Flex Sealing Technology	•	•		
	Magnetic Charge System	•	•	•	
	Multi-Core Optics	•	•	_	
	Advanced Focus System	•	•	•	
	Item no.	880521	880523	880519	
	Price, MSRP (\$) USA Canada	169.95 USD CAD 249.95	199.95 USD CAD 289.95	299.95 USD CAD 434.95	





		P5R	P7R	
		Max.–min.	Maxmin.	
<u>`</u> Ċ́-	Light Output¹ (lm)	420–20	1000-20	
⇒	Beam Distance ¹ (m)	240-50	300-40	
<u>(L</u>)	Run Time ¹ (h)	15–3	40-2	
<u></u> ,	Battery Type	1x 14500 Li-ion Battery 3.7V	1x 18650 Li-ion Battery 3.7V	
<u>(L)</u>	Charge Time ² (Hours/Minutes)	2h 30min	5h	
٩	Rechargeable	Yes	Yes	
B	Length (mm) Weight g (incl. Batteries) oz	117 mm 75 g 2.6 oz	158 mm 210 g 7.4 oz	
	Contents	1 battery pack, floating charge system, belt pouch, lanyard, key ring, pocket clip	1 battery pack, floating charge system, belt pouch, lanyard, key ring, USB cable	
	TECHNOLOGY			
	Advanced Focus System	•	•	
	Smart Light Technology	-	•	
	Floating Charge System	•	•	
	Rapid Focus	•	•	
	Item no.	880014 (Box), 880555 (Blister)	880358 (Box), 880116 (Blister)	
	Price, MSRP (\$) USA Canada	69.95 USD CAD 94.95	89.95 USD CAD 121.95	



P7R SIGNATURE







- 01 Powerful premium flashlight with natural color rendering (80 CRI / 6500K)

- Mode Switch for direct access to personalized light functions thanks to Smart Light Technology

 Additional Red secondary light on the side of the housing, e.g. to maintain your night vision in the dark

 Hard-anodized housing material for additional protection against wear and corrosion
- 05 Extreme dust and water protection (IP68)
- **06 Flex Sealing Technology** can be used for a short time underwater (including the focusing system) to a depth of one meter
- 07 Personalize the light functions thanks to Smart Light Technology



Contonto



Cnan hook





		K4R
		Maxmin.
φ́-	Light Output ¹ (lm)	120-20
⇒	Beam Distance ¹ (m)	30-10
<u>-</u>	Run Time ¹ (h)	3.5-1
<u></u> 1	Battery Type	1x Li-ion Battery 3.7V
Ŀ	Charge Time ² (Hours/Minutes)	3h
Î	Rechargeable	Yes
/g\	Length (mm) Weight g (incl. Batteries) oz	52 mm 20 g 1 oz

K6R
Max.–min.
400-20
80-15
10-1.5
 1x Li-ion Battery 3.7V
3h
Yes
62 mm 30 g 1.1 oz

K <mark>6R</mark> Safety
Maxmin.
400-20
80-15
8-1.5
1x Li-ion Battery 3.7V
3h
Yes
66 mm 32 g 1.1 oz

Contents	Stiap flook
FEATURES	
Smart Light Technology	Transportation Lock
Item no.	502574 (gray), 502575 (rose gold)
Price, MSRP (\$) USA Canada	19.95 USD CAD 26.95

Transportation Lock, Red light	
502577 (gray), 502578 (rose gold)	
29.95 USD CAD 39.95	

Snap hook

Transportation Lock, Acoustic alarm
502580 (gray), 502581 (rose gold)
29.95 USD CAD 39.95

Snap hook

1.2 Information on the back 1,2 Information on the back



- Light Output¹ (lm)

□→ Beam Distance¹(m)

Charge Time² (Hours/Minutes)

Weight g (incl. Batteries) | oz

L Run Time¹ (h)

■ Battery Type

Rechargeable

Contents

TECHNOLOG



Max.-min.

350-15

160-30

20-2

2x AA 1,5V

No

178 g | 6.3 oz

1 set of batteries



H5R CORE

Max.-min.

500-15

200-15

50-2

1x Li-ion Batterypack 3.7V

3h 30min

Yes

167 g | 5.6 oz

1 set of batteries,

magnetic charging cable

880505

o de la companya de l	435, 14 V37
LEDLENEER	

and the state of t
LEDLETEER

Yes

259 g | 9.1 oz


1 set of batteries,



LEOLETSER	LEDLERSER	
H <mark>7R</mark> CORE	H15R CORE	
Maxmin.	Max.–min.	
1000-15	2500-20	
250-25	250-20	
65-4	80-5	
1x 21700 Li-ion Battery 3.7V	1x Li-ion Batterypack 5	
3h 30min	5h 30min	

80-5
1x Li-ion Batterypack 7.4V
5h 30min
Yes
380 g 13.4 oz

1 set of batteries,	
magnetic charging cable	





perfect illumination

through special faceting of the lens

remote control of the light functions

05 - Extreme dust and water protection (IP68)

alignment of the light cone

for many accessory parts

09 - Reflective headband

-\(\)- Light Output\(^1\) (lm)

L Run Time¹ (h)

■ Battery Type

Rechargeable

Contents

Rapid Focus

Item no.

TECHNOLOGY Smart Light Technology

Advanced Focus System Temperature Control Wide Beam

□→ Beam Distance¹ (m)

Charge Time² (Hours/Minutes)

Weight g (incl. Batteries) | oz

remote control enable personalization and

Additional red light to maintain night vision Stepless swivel mechanism for vertical

03 - Ledlenser Connect app and Bluetooth®



Multi-Core Optics	-
Flex Sealing Technology	•
Advanced Focus System	•
Magnetic Charge System	-
Temperature Control	_
Item no.	880504

79.95 USD | CAD 115.95





199.95 USD | CAD 289.95

H7R SIGNATURE	H19R SIGNATURE
Maxmin.	Maxmin.
1200-15	4000-200
260-25	330-80
65-3.5	20-3.5
1x 21700 Li-ion Battery 3.7V	1x Li-ion Batterypack 7.4V
3h 30min	5h 30min
Yes	Yes
259 g 9.1 oz	374 g 13.2 oz
1 set of batteries, helmet clips,	1 set of batteries, Bluetooth®

universal holder, extension cable	holder, extension cables, adhesive pads
•	•
•	•
•	•
•	•
•	-
880508	880507
17/ 05 UCD CAD 252 05	174 OF LICE LOAD 252 OF





		Max.–min.
- <u>`</u> Ċ-	Light Output ¹ (lm)	3500-200
□ →	Beam Distance ¹ (m)	300-80
(L)	Run Time ¹ (h)	20-4
<u> </u>	Battery Type	1x Li-ion Batterypack 7.4V
(L)	Charge Time ² (Hours/Minutes)	5h 30min
٩	Rechargeable	Yes
g	Weight g (incl. Batteries) oz	374 g 13.2 oz

Contents

1 set of batteries. magnetic charging cable

TECHNOLOGY	
Multi-Core Optics	•
Flex Sealing Technology	-
Advanced Focus System	-
Magnetic Charge System	•
Temperature Control	•
Item no.	880503
Price, MSRP (\$) USA Canada	249.95 USD LCAD 361.95



a desable	a de la composition della comp
	EDLEDSER OF O
*	CO C LEUL AND A CONTROL OF THE CONTR

MIGAIIIII.	MaxIIIII.
1200-15	4000-200
260-25	330-80
65-3.5	20-3.5
1x 21700 Li-ion Battery 3.7V	1x Li-ion Batterypack 7.4V
3h 30min	5h 30min
Yes	Yes
259 g 9.1 oz	374 g 13.2 oz
set of batteries, helmet clips, GoPro adapter, helmet holder, elcro fasteners, adhesive pads, nagnetic charging cable, tripod holder, USB power adapter, universal holder, extension cable	1 set of batteries, Bluetooth® remote control, helmet clips, GoPro adapter, helmet holder, Velcro fasteners, magnetic charging cable, tripod holder, USB power adapter, universal holder, extension cables, adhesive pads
•	•
•	•
•	•
•	•
•	_
880508	880507



Max.-min.

200-20

130-40

35-4.5 1x AA 1.5V

No

92 g | 3.2 oz

1 set of batteries

•

NEW COLOR 880533 (orange), NEW COLOR 880531 (yellow),

NEW COLOR 880534 (blue)

880532 (black)

880440 (black/white)



502152 (camo)



MH4	MH <mark>5</mark>
Maxmin.	Maxmin.
400-20	400-20
180-40	180-40
35-4	35-4
Battery Pack 3.7V	Battery Pack 3.7V
2h 50min	2h 30min
•	Yes
94 g 3.3 oz	92 g 3.2 oz
1 rechargeable battery	1 rechargeable battery

•	Yes
94 g 3.3 oz	92 g 3.2 oz
1 rechargeable battery, Magnetic Charge System	1 rechargeable battery, magnetic charging cable
•	•
•	•
•	•
•	•
•	•
502151 (black),	NEW COLOR 880537 (orange), NEW COLOR 880535 (yellow),

NEW COLOR 880535 (yellow), NEW COLOR 880538 (blue), 880536 (black) 880544 (black/white)



Price, MSRP (\$) USA | Canada



-\(\o'\)- Light Output¹ (L Run Time¹ (h) ■ Battery Type (L) Charge Time² Rechargeable Weight g (incl. Contents TECHNOLO





	MH <mark>6</mark>	MH <mark>7</mark>	MH <mark>8</mark>
•	Max.–min.	Max.–min.	Maxmin.
Light Output¹ (lm)	200-20	600-20	600-20
Beam Distance ¹ (m)	120-40	200-40	200-40
Run Time ¹ (h)	20-5	60-7	40-3.5
Battery Type	Battery Pack 3.7V	Battery Pack 3.7V	Battery Pack 3.7V
Charge Time ² (Hours/Minutes)	4h	4h 30min	4h 30min
Rechargeable	Yes	Yes	Yes
Weight g (incl. Batteries) oz	93 g 3.3 oz	139 g 4.9 oz	94 g 3.3 oz
Contents	1 rechargeable battery, USB cable	1 rechargeable battery, magnetic charging cable	1 rechargeable battery, Magnetic Charge System
TECHNOLOGY			
Removable lamp	-	•	•
Smart Light Technology	•	•	•
Dual Power Source	•	•	-
Magnetic Charge System	-	•	•
Temperature Control	-	_	•
ltem no.	880384	880541 (orange), 880539 (yellow), 880542 (blue), 880540 (black) 880442 (black/white)	NEW 502156 (black), NEW 502157 (camo)
Price, MSRP (\$) USA Canada	39.95 USD CAD 53.95	69.95 USD CAD 94.95	69.95 USD 94.95 CAD









	IVIIIIU	1411111
	Maxmin.	Maxmin.
Light Output¹ (lm)	600-10	1000-10
Beam Distance ¹ (m)	150-20	320-30
Run Time ¹ (h)	120-10	100-4
Battery Type	Battery Pack 3.6V	Battery Pack 3.6V
Charge Time ² (Hours/Minutes)	6h	7h
Rechargeable	Yes	Yes
Weight g (incl. Batteries) oz	158 g 5.6 oz	179 g 6.3 oz
Contents	1 rechargeable battery, filter caps, pouch, USB cable	1 rechargeable battery, pouch, magnetic charging cable
TECHNOLOGY		
Removable lamp	-	•
Smart Light Technology	•	•
Dual Power Source	-	-
Magnetic Charge System	-	•
Temperature Control	•	•
Item no.	880385	880543 (orange) 880467 (black)
Price MSRP (\$) USA I Canada	69 95 USD LCAD 94 95	159 95 USD CAD 215 95











Yes

Warm Light, ML6 Connect WL, P6R Core,

Battery charger

Safe battery storage Double protection against short circuit
 Charge

880554

69.95 USD | CAD 101.95



BATTERYBOX7

1x 18650 Li-ion Battery 3.6V



1x	1865	0 I i-io	n Batte	erv 3.6\

BATTERYBOX7

No No

81 mm | 133 g | 4.7 oz 95 mm | 54 g | 2 oz

iH11R, MH11, MH10, NE010R, ML6, ML6 Warm Light, ML6 Connect WL, P6R Core, P6R Signature, P6R Work

2 Batteries

WL, ML6 Warm Light, MT10, NE010R, P6R Core, P6R Signature, P6R Work, P7R, PL6,

iA6R, iH11R, iH8R

F1R, H8R, MH10, MH11, ML6, ML6 Connect

2 Batteries, USB cable

Water and dust protection (IP65)

1. Power bank with a replaceable battery 2. Water and dust protection (IP65)

Battery charger

4. Safe battery storage5. Additional USB-C for input & output6. Charge level indicator for the battery

Water and dust protection (IP65) Safe battery storage Protection against short circuit

2. Safe battery storage
3. Protection against short circuit
4. Charger with up to 30% shorter charging time (compared to charging in e.g. a Ledlenser P6R Core)

502129

502127 502128 Price, MSRP (\$) USA | Canada 39.95 USD | CAD 57.95 59.95 USD | CAD 80.95



■ Battery Type

Rechargeable

MATCHES

Ledlenser lights

FEATURES

Contents

Item no.

Battery Type

Rechargeable

Ledlenser lights

FEATURES

Contents

Item no.

٩

Charge Time² (Hours/Minutes)

Weight g (incl. Batteries) | oz

Price, MSRP (\$) USA | Canada

Charge Time² (Hours/Minutes)

Weight g (incl. Batteries) | oz







FLEX3

1x 18650 Li-ion Battery 3.6V

Yes

109 mm | 88 g | 3.1 oz

iH11R, MH11, MH10, NE010R, ML6, ML6

Warm Light, ML6 Connect WL, P6R Core,

P6R Signature, P6R Work

1 Battery, USB cable

Power bank with a replaceable battery
 Water and dust protection (IP65)

Safe battery storage
 Double protection against short circuit
 Charge level indicator for the battery

880553

39.95 USD | CAD 57.95

FLEX1

2x 21700 Li-ion Battery 3.7V

Yes

120 mm | 235 g | 8.3 oz

iH11R, MH11, MH10, NE010R, ML6, ML6

Warm Light, ML6 Connect WL, P6R Core,

P6R Signature, P6R Work

2 Batteries, USB cable

6-IN-1

Battery charger



FLEX5

1x 21700 Li-ion Battery 3.7V

2h 20min

Yes

103 mm | 126 g | 4.4 oz

H7R Core, H7R Signature, H7R Work, P7R

Core, P7R Signature, P7R Work

1 Battery, USB cable

6-IN-1

Power bank with replaceable batteries Water and dust protection (IP65)

Nater and outs protection (1993)
 Battery charger
 Safe battery storage
 Up to 30% shorter charging time (compared to charging in a P7R Core flashlight)
 Charge level indicator for the battery

502511

59.95 USD | CAD 80.95



		ML <mark>4</mark>
		Maxmin.
- <u>`</u> Ċ;-	Light Output¹ (lm)	300-5
<u>(L)</u>	Run Time¹ (h)	45-2.5
<u> </u>	Battery Type	Battery Pack 3.7V
<u>(L)</u>	Charge Time ² (Hours/Minutes)	2h 30min
٩	Rechargeable	Yes
ğ	Weight g (incl. Batteries) oz	97 mm 71 g 2.5 oz
	Contents	1 set of rechargeable batteries, Magnetic charging cable
	TECHNOLOGY	
	Smart Light Technology	•
	Warm Light Ability	
	Micro Prism Technology	•
	Red Light Function	•

Magnetic Charge System


Price, MSRP (\$) USA | Canada

Item no.

ML4 warm light Max.-min. 300-5 45-2.5 Battery Pack 3.7V 2h 30min Yes 97 mm | 71 g | 2.5 oz 1 set of rechargeable batteries, Magnetic















ML <mark>6</mark>	
Max.–min.	
750-20	
70-4	
Battery Pack 3.6V	
5h	
Yes	
178 mm 280 g 9.9 oz	

200-3.3	70-4
Battery Pack 3.6V	Battery Pack 3.6V
5h	5h
Yes	Yes
178 mm 280 g 9.9 oz	178 mm 280 g 9.9 oz
1 set of rechargeable batteries, transport bag, USB cable, stand	1 set of rechargeable batteries, transport bag, USB cable, stand
•	•
•	-
•	•
•	•
•	•
502084	880446



502053

		ML <mark>6</mark> connect WL
		Max.–min.
- <u>`</u> Ċ;-	Light Output ¹ (lm)	750-5
<u>(L)</u>	Run Time ¹ (h)	200-3.5
<u> </u>	Battery Type	Battery Pack 3.6V
<u>(L)</u>	Charge Time ² (Hours/Minutes)	5h
٩	Rechargeable	Yes
<mark>∕</mark> g\	Weight g (incl. Batteries) oz	178 mm 280 g 9.9 oz

Contents	1 set of batteries, stand, transport bag, magnetic charging cable, remote control
TECHNOLOGY	
Smart Light Technology	•
Warm Light Ability	•
Micro Prism Technology	•
Red Light Function	•
Magnetic Charge System	•
tem no.	880567
Price, MSRP (\$) USA Canada	119.95 USD CAD 161.95



ML6 warm light Max.-min 750-5

79.95 USD | CAD 107.95

	Battery Pack 3.6V
	5h
	Yes
	178 mm 280 g 9.9 oz
es, nd	1 set of rechargeable batteries, transport bag, USB cable, stand
	•
	-
	•
	•
	•
	880446
	79.95 USD CAD 107.95

PORTABLE ENERGY