

At Ledlenser, we pride ourselves in superior quality in everything we do. From design all the way to manufacturing our product, we push the boundaries of innovation every step of the way.

All Ledlenser lights purchased from an authorized reseller are backed by a five-year warranty. An additional two years can be added to this warranty – seven years in total – if the user registers their product. Each light comes with a product registration card and unique product code. The user can simply scan the included QR code on the product registration card and follow the prompted instructions or enter the URL on a web browser. Once the product information has been entered on our website, the warranty becomes a full seven-year warranty.



THERE IS MORE!

Follow the QR code to our full line product catalog.

value, the values for luminous flux (lumens/lm) and luminous range (meters/m) refer to the brightest setting and the values for the luminous period (hours/h) refer to the lowest setting. For _max. — min." range, in terms of luminous flux (lumens/lm) and luminous range (meters/m), the range from the brightest setting (first value) to the lowest setting (second value) is given. With regards to the values of the luminous period (hours/h), the range from the lowest setting (first value) to the brightest setting (second value) is given. A boost function (if available) can be used several times, but only for short periods. If the lamp has different energy modes, measurement is based on energy-saving mode."

2) Charging time (in hours and minutes) may vary by power supply.

The detension has a fibritalistic able wall rating Leaderises a wall ality is conveyable to the end-use prichase drive through authorized bealers and Distributors. No other warranty is expressed, implied or valid when purchased from an unauthorized third party. Five year warranty from the date of purchase, or seven years with online registration through our website. The warranty applies worldwide; legal warranty rights also apply, it covers defects in material and manufacture. Battery packs are guaranteed to work correctly for 24 months. This warranty does not cover products in the "Solidline" series, Ledienser K1 and Ledlenser K2, as well as defective batteries, holsters, pouches, remote switches, color filters, imprints and surface coatings. The warrantor is Ledlenser 6mbH & Co. KG, Kronenstr. 5-7, 42699 Solingen, Germany. For more information visit ledlenserusa.com/pages/service-warranty






GERMAN ENGINEERING

Ledlenser USA 80 SE Madison #130 Portland, OR 97214

ledlenserusa.com



© @ledlenserusa





OUTDOOR & SPORT-










		rech.	recon T	
		MT10	MT14	MT18
		Maxmin.	Max.–min.	Max.–min.
- <u>`</u> Ċ́(-	Light Output ¹ (lm)	1000–10	1000–10	3000–30
⇔	Beam Distance ¹ (m)	180–20	320–30	540-80
<u>(L)</u>	Run Time ¹ (h)	144-6	192–9	96–5
<u> </u>	Battery Type	Battery Pack 3.6V	1x 26650 3.7V	Battery Pack 3.7V
Ŀ	Charge Time ² (Hours/Minutes)	6h	8h	8h
١	Rechargeable	Yes	Yes	Yes
ğ	Length (mm) Weight g (incl. Batteries) oz	128 mm 156 g 5.6 oz	151 mm 253 g 9.0 oz	171 mm 620 g 21.9 oz
	Contents	1 rechargeable battery, pouch, wrist strap, pocket clip, USB cable	1 rechargeable battery, USB cable, wrist strap, pouch	1 rechargeable battery, USB cable, adapter, adapter cable, wrist strap, pouch
	TECHNOLOGY			
	Advanced Focus System	•	•	•
	Smart Light Technology	•	•	•
	Rapid Focus	•	•	•
	X-Lens Technology	_	-	•
	Temperature Control	•	•	•
	Item no.	880380	880381	880382
	Price, MSRP (\$) USA Canada	79.95 USD CAD 107.95	99.95 USD CAD 134.95	199.95 USD CAD 269.95





-<u>`</u>Ċ́-

 \Rightarrow <u>(L)</u>

> <u>(L)</u>

٩

g







NEW	Constitution of the second	Control of the state of the sta	de de la companya de
	P6R CORE QC	P7R CORE	P17R CORE
	Max.–min.	Maxmin.	Maxmin.
ight Output¹ (lm)	270–15 (white light)	1400–15	1200–15
Beam Distance ¹ (m)	335–15	300–15	560–50
Run Time¹ (h)	110–5	90–2	200–2.75
Battery Type	1x Li-ion Batterypack 3.7V	1x 21700 Li-ion Battery 3.7V	1x LiFePO4 Batterypack 6.4V
Charge Time ² (Hours/Minutes)	3h 20min	4h 30min	4h 30min
lechargeable	Yes	Yes	Yes
ength (mm) Veight g (incl. Batteries) oz	157 mm 207 g 7.3 oz	158 mm 202 g 7.1 oz	290 mm 715 g 25.2 oz
ontents	1 battery set, lanyard, USB charging cable	1 battery set, lanyard, magnetic charging cable	1 set of batteries, intelligent clip, wall bracket, power adapter, magnetic charging cable
TECHNOLOGY			
dvanced Focus System	•	•	•
mart Light Technology	-	•	•
apid Focus	•	•	•
ual Power Source	•	-	-
emperature Control	-	•	•
tem no.	880620	880518	880512
Price, MSRP (\$) USA Canada	99.95 USD CAD 144.95	129.95 USD CAD 187.95	249.95 USD CAD 361.95





-<u>`</u>Ċ;-⇔ <u>(L)</u>

<u>(L)</u> ٦

g



P2R CORE



P4R CORE







	Max.–min.	
Light Output¹ (lm)	120-15	
Beam Distance ¹ (m)	65-15	
Run Time ¹ (h)	5-0.5	
Battery Type	1x Li-ion Battery 3.7V	
Charge Time ² (Hours/Minutes)	2h 30min	
Rechargeable	Yes	
Length (mm) Weight g (incl. Batteries) oz	103 mm 36 g 1.3 oz	
Contents	1 battery set, pocket clip, USB charging cable	1
TECHNOLOGY EXAMPLE		
Smart Light Technology		
Flex Sealing Technology		
Magnetic Charge System		
Temperature Control		
Advanced Focus System	•	
Item no.	880513	
Price, MSRP (\$) USA Canada	39.95 USD CAD 57.95	4

Max.–min.	
200-15	
90-15	
25-1.5	
1x Li-ion Battery 3.7V	1x 145
2h 30min	
Yes	
150 mm 55 g 1.9 oz	123
1 battery set, pocket clip, USB charging cable	1 ba
_	
-	
-	
•	
880514	
/ 0.0E LICE CAD 71.0E	70.0

FOR CORE	FOR CORE	
Max.–min.	Maxmin.	
500-15	900-15	
250-40	240-25	
25-1	240-25	
1x 14500 Li-ion Battery 3.7V	1x18650 Li-ion Battery 3.7V	
2h	5h	
Yes	Yes	
123 mm 106 g 3.7 oz	158 mm 170 g 6 oz	
1 battery set, lanyard, magnetic charging cable	1 battery set, lanyard, magnetic charging cable	
•	•	
•	•	
•	•	
•	•	
•	•	
880515	880516	
79.95 USD CAD 115.95	99.95 USD CAD 144.95	







- 01 Extreme dust and water protection (IP68) **02** – **Advanced Focus System** – stepless focusable
- 03 Flex Sealing Technology can be used for a short time underwater (including the focusing system) to a depth of one meter
- **04 Multi-Core Optics** homogeneous beam made possible by special faceting
- 05 Personalize the light functions thanks to Smart Light Technology
 06 Convenient and safe charging of the battery thanks to the
- Magnetic Charge System

^{1,2} Information on the back



Charge Time² (Hours/Minutes)

Length (mm) | Weight g (incl. Batteries) | oz

Light Output¹ (lm)

L Run Time¹ (h)

■ Battery Type

Rechargeable

Contents

Item no.

TECHNOLOGY Smart Light Technology

Flex Sealing Technology Magnetic Charge System Multi-Core Optics

Advanced Focus System

Price, MSRP (\$) USA | Canada

□⇒ Beam Distance¹(m)



Max.-min.

1400-15

240-20

60-1.25

1x 18650 Li-ion Battery 3.6V

3h 45min

Yes

151 mm | 170 g | 6 oz 1 set of batteries, leather belt pouch, lanyard,

magnetic charging cable, pocket clip, USB power adapter, wall bracket

•

•

•

880521

169.95 USD | CAD 249.95





P7R SIGNATURE
Maxmin.
2000-15
330-20
90-2
1x 21700 Li-ion Battery 3.7V
4h 30min
Yes
158 mm 202 g 7.1 oz
1 set of batteries, leather belt pouch, lanyard magnetic charging cable, pocket clip, USB power adapter, wall bracket
•
•
•
•
•
880523

		de de la companya de
P1	8R SIGNA	TURE
	Maxmin	l.
	4500-30	
	720-50	
	70-2.5	
1x Li-io	on Batteryp	ack 11.1V
	5h 30mir	1
	Yes	
171 r	nm 637 g	22.5 oz
US	of batteries, B power ad letic chargir	apter,
	•	
	_	
	•	
	-	
	•	

880519

299.95 USD | CAD 434.95





		P5R
		Maxmin.
- <u>`</u> Ċ;-	Light Output ¹ (lm)	420–20
⇔	Beam Distance ¹ (m)	240-50
<u>(L)</u>	Run Time ¹ (h)	15–3
□	Battery Type	1x 14500 Li-ion Battery 3.7V
<u>(L)</u>	Charge Time ² (Hours/Minutes)	2h 30min
٩	Rechargeable	Yes
₫	Length (mm) Weight g (incl. Batteries) oz	117 mm 75 g 2.6 oz

Contents	1 battery pack, floating charge system, belt pouch, lanyard, key ring, pocket clip
TECHNOLOGY	

TECHNOLOGY	
Advanced Focus System	•
Smart Light Technology	-
Floating Charge System	•
Rapid Focus	•
Item no.	880014 (Box), 880555 (Blister)
Price, MSRP (\$) USA Canada	69.95 USD CAD 94.95

P7R	
Max.–min.	
1000–20	
300–40	
40-2	
1x 18650 Li-ion Battery 3.7V	
5h	
Yes	
158 mm 210 g 7.4 oz	
1 battery pack, floating charge system, belt pouch, lanyard, key ring, USB cable	3
	36
•	
•	
•	
•	
880358 (Box), 880116 (Blister)	
89.95 USD CAD 121.95	





-<u>`</u>Ċ́-

⇔ <u>(L)</u>

> <u>(L)</u>

١

g







	K4R	K <mark>6R</mark>	K <mark>6R</mark> Safety
	Max.–min.	Max.–min.	Maxmin.
Light Output ¹ (lm)	120-20	400-20	400-20
Beam Distance ¹ (m)	30-10	80-15	80-15
Run Time ¹ (h)	3.5-1	10-1.5	8-1.5
Battery Type	1x Li-ion Battery 3.7V	1x Li-ion Battery 3.7V	1x Li-ion Battery 3.7V
Charge Time ² (Hours/Minutes)	3h	3h	3h
Rechargeable	Yes	Yes	Yes
Length (mm) Weight g (incl. Batteries) oz	52 mm 20 g 1 oz	62 mm 30 g 1.1 oz	66 mm 32 g 1.1 oz
Contents	Snap hook	Snap hook	Snap hook
FEATURES	Transportation Lock	Transportation Lock, Red light	Transportation Lock, Acoustic alarm
tem no.	502574 (gray), 502575 (rose gold)	502577 (gray), 502578 (rose gold)	502580 (gray), 502581 (rose gold)
Price MSPD (\$) IISA Canada	10 05 USD CAD 24 05	20 05 HSD CAD 30 05	20 05 HSD CAD 30 05











(NEW)	LEDLETSER	LEDLETISER	LEOLETER	LEDLERSES
	H5 CORE	H <mark>5R</mark> CORE	H7R CORE	H15R CORE
	Max.–min.	Max.–min.	Maxmin.	Maxmin.
Light Output ¹ (lm)	350-15	500-15	1000-15	2500-20
⇒ Beam Distance¹ (m)	160-30	200-15	250-25	250-20
Run Time¹ (h)	20-2	50-2	65-4	80-5
□ Battery Type	2x AA 1,5V	1x Li-ion Batterypack 3.7V	1x 21700 Li-ion Battery 3.7V	1x Li-ion Batterypack 7.4V
Charge Time ² (Hours/Minutes)	-	3h 30min	3h 30min	5h 30min
Rechargeable	No	Yes	Yes	Yes
Weight g (incl. Batteries) oz	178 g 6.3 oz	167 g 5.6 oz	259 g 9.1 oz	380 g 13.4 oz
Contents	1 set of batteries	1 set of batteries, magnetic charging cable	1 set of batteries, magnetic charging cable	1 set of batteries, magnetic charging cable
TECHNOLOGY				
Multi-Core Optics	-	-	-	•
Flex Sealing Technology	•	•	•	•
Advanced Focus System	•	•	•	•
Magnetic Charge System	-	•	•	•
Temperature Control	-	•	•	•
Item no.	880504	880505	880506	880502
Price, MSRP (\$) USA Canada	59.95 USD CAD 86.95	79.95 USD CAD 115.95	99.95 USD CAD 144.95	199.95 USD CAD 289.95

^{1.2} Information on the back

1.2 Information on the back

H19R SIGNATURE

- **01 Fusion Beam** individually adjustable flood and spotlight for a unique light image with perfect illumination
- **02 Multi-Core Optics** homogeneous light image through special faceting of the lens
- 03 Ledlenser Connect app and Bluetooth® remote control enable personalization and remote control of the light functions
- **04 Optisense Technology** automatic adaptation to the light conditions thanks to the integrated
- Extreme dust and water protection (IP68)
- Additional red light to maintain night vision
- Stepless swivel mechanism for vertical alignment of the light cone
- **Ledlenser Connecting System** an interface for many accessory parts
- Reflective headband









		H19R CORE
		Maxmin.
\ _ -	Light Output¹ (lm)	3500-200
d→	Beam Distance ¹ (m)	300-80
9	Run Time ¹ (h)	20-4
_	Battery Type	1x Li-ion Batterypack 7.4V
9	Charge Time ² (Hours/Minutes)	5h 30min
Ď	Rechargeable	Yes
g∖	Weight g (incl. Batteries) oz	374 g 13.2 oz

Contents

1 set of batteries, magnetic charging cable

TECHNOLOGY	
Multi-Core Optics	•
Flex Sealing Technology	-
Advanced Focus System	-
Magnetic Charge System	•
Temperature Control	•
Item no.	880503
Price, MSRP (\$) USA Canada	249.95 USD CAD 361.95





remote control, helmet clips,

GoPro adanter helmet holder

Velcro fasteners, magnetic

USB power adapter, universal

holder, extension cables,

charging cable, tripod holder,

H7R SIGNATURE	H19R SIGNATURE
Max.–min.	Maxmin.
1200-15	4000-200
260-25	330-80
65-3.5	20-3.5
1x 21700 Li-ion Battery 3.7V	1x Li-ion Batterypack 7.4V
3h 30min	5h 30min
Yes	Yes
259 g 9.1 oz	374 g 13.2 oz
	1 set of batteries, Bluetooth®

1 set of batteries, helmet clips, GoPro adapter, helmet holder. velcro fasteners, adhesive pads, magnetic charging cable, tripod holder, USB power adapter, universal holder, extension cable

	adhesive pads		
•	•		
•	•		
•	•		
•	•		
•	_		
880508	880507		



















	!	MH3	MH <mark>5</mark>	MH <mark>6</mark>
		Max.–min.	Max.–min.	Max.–min.
- <u>`</u> \\doc	Light Output¹ (lm)	200-20	400-20	200-20
⇒	Beam Distance ¹ (m)	130-40	180-40	120-40
<u>(L)</u>	Run Time ¹ (h)	35-4.5	35-4	20-5
□	Battery Type	1x AA 1.5V	Battery Pack 3.7V	Battery Pack 3.7V
<u>(L)</u>	Charge Time ² (Hours/Minutes)		2h 30min	4h
٩	Rechargeable	No	Yes	Yes
g	Weight g (incl. Batteries) oz	92 g 3.2 oz	92 g 3.2 oz	93 g 3.3 oz
	Contents	1 set of batteries	1 rechargeable battery, magnetic charging cable	1 rechargeable battery, USB cable
	TECHNOLOGY			
	Magnetic Charge System	•	•	-
	Smart Light Technology	•	•	•
	Rapid Focus	•	•	•
	Dual Power Source	•	•	•
	Removable lamp with clip	•	•	

Item no.

NEW COLOR 880533 (orange), NEW COLOR 880531 (yellow), NEW COLOR 880534 (blue) 880532 (black) 880440 (black/white)


NEW COLOR 880537 (orange), NEW COLOR 880535 (yellow), NEW COLOR 880538 (blue), 880536 (black) 880544 (black/white)

880384

Price, MSRP (\$) USA | Canada

29.95 USD | CAD 40.95

1,2 Information on the back















	Max.–min.	
Light Output¹ (lm)	600-20	
Beam Distance ¹ (m)	200-40	
Run Time ¹ (h)	60-7	
Battery Type	Battery Pack 3.7V	
Charge Time ² (Hours/Minutes)	4h 30min	
Rechargeable	Yes	
Weight g (incl. Batteries) oz	139 g 4.9 oz	
Contents	1 rechargeable battery, magnetic charging cable	
TECHNOLOGY		
Removable lamp	•	
Smart Light Technology	•	
Dual Power Source	•	
Magnetic Charge System	•	
Temperature Control	_	
Item no.	880541 (orange), 880539 (yellow), 880542 (blue), 880540 (black) 880442 (black/white)	

ightharpoons<u>(L)</u>

<u>(L)</u>

MHIU	MHII
Max.–min.	Maxmin.
600-10	1000-10
150-20	320-30
120-10	100-4
Battery Pack 3.6V	Battery Pack 3.6V
6h	7h
Yes	Yes
158 g 5.6 oz	179 g 6.3 oz
rechargeable battery, filter caps, pouch, USB cable	1 rechargeable battery, pouch, magnetic charging cable
-	•
•	•
-	-
-	•
•	•
880385	880543 (orange) 880467 (black)
(0.0E HSD LOAD 0./ 0E	450.05 USB LOAD 045.05





	KIDLED2	KIDLED4R
	Maxmin.	Max.–min.
-\right Output¹ (lm)	40-5	40-5
□→ Beam Distance¹(m)	9-2	9-2
Run Time¹ (h)	20-1.5	18-2
Battery Type	1x AAA Alkaline 1.5V	Battery Pack 3.7V
Charge Time ² (Hours/Minutes)	-	1h
Rechargeable	No	Yes
Weight g (incl. Batteries) oz	23 g 0.8 oz	25 g 0.8 o
Contents	1 set of batteries	USB cable
FEATURES		
	Blue Light, Red Light	Blue Light, Red Light
Item no.	502537 (green) 502538 (purple)	502535 (green) 502536 (purple)
Price, MSRP (\$) USA Canada	19.95 USD CAD 26.95	29.95 USD CAD 39.95

1,2 Information on the back 1,2 Information on the back

109 mm | 164 g | 5.8 oz

69.95 USD | CAD 101.95



1x 21700 Li-ion Battery 3.7V

2h 20min

Yes

103 mm | 126 g | 4.4 oz

H7R Core, H7R Signature, H7R Work, P7R

Core, P7R Signature, P7R Work

1 Battery, USB cable

6-IN-1

Power bank with replaceable batteries Water and dust protection (IP65)

2. Water aim dust protection (1763)
3. Battery charger
4. Safe battery storage
5. Up to 30% shorter charging time (compared to charging in a P7R Core flashlight)
6. Charge level indicator for the battery

502511

59.95 USD | CAD 80.95





81 mm | 133 g | 4.7 oz 95 mm | 54 g | 2 oz

F1R, H8R, MH10, MH11, ML6, ML6 Connect iH11R, MH11, MH10, NE010R, ML6, ML6 WL, ML6 Warm Light, MT10, NE010R, P6R Warm Light, ML6 Connect WL, P6R Core, Core, P6R Signature, P6R Work, P7R, PL6, P6R Signature, P6R Work

iA6R, iH11R, iH8R 2 Batteries, USB cable

59.95 USD | CAD 80.95

2 Batteries

1. Power bank with a replaceable battery 2. Water and dust protection (IP65)

39.95 USD | CAD 57.95

4. Safe battery storage5. Additional USB-C for input & output6. Charge level indicator for the battery

Battery charger

Water and dust protection (IP65) Safe battery storage Protection against short circuit

Water and dust protection (IP65)

2. Safe battery storage
3. Protection against short circuit
4. Charger with up to 30% shorter charging time (compared to charging in e.g. a Ledlenser P6R Core)

69.95 USD | CAD 101.95

502127 502128 502129

FLEX3 FLEX5

1x 18650 Li-ion Battery 3.6V

Yes

109 mm | 88 g | 3.1 oz

iH11R, MH11, MH10, NE010R, ML6, ML6

Warm Light, ML6 Connect WL, P6R Core,

P6R Signature, P6R Work

1 Battery, USB cable

6-IN-1

Power bank with a replaceable battery
 Water and dust protection (IP65)

Safe battery storage
 Double protection against short circuit
 Charge level indicator for the battery

880553

39.95 USD | CAD 57.95

FLEX1

2x 21700 Li-ion Battery 3.7V

Yes

120 mm | 235 g | 8.3 oz

iH11R, MH11, MH10, NE010R, ML6, ML6

Warm Light, ML6 Connect WL, P6R Core,

P6R Signature, P6R Work

2 Batteries, USB cable

6-IN-1

Battery charger



■ Battery Type

(Rechargeable

MATCHES

Ledlenser lights

FEATURES

Contents

Item no.

■ Battery Type

(Rechargeable

MATCHES

Ledlenser lights

Contents

Item no.

FEATURES

Charge Time² (Hours/Minutes)

(g) Weight g (incl. Batteries) | oz

Price, MSRP (\$) USA | Canada

Charge Time² (Hours/Minutes)

Weight g (incl. Batteries) | oz

RIGHT TOTAL	recharge
varm light	
v min	


ML <mark>4</mark> warm light
Max.–min.
300-5
45-2.5
Battery Pack 3.7V
2h 30min
Yes
97 mm 71 g 2.5 oz

1 set of rechargeable	
batteries, Magnetic	
charging cable	

cnarging cable
•
•
•
•
•
880568







ML4

Max.-min.

300-5

45-2.5

Battery Pack 3.7V

2h 30min

Yes

97 mm | 71 g | 2.5 oz

1 set of rechargeable

batteries, Magnetic

charging cable

ML6 connect WL

Max.-min.

750-5

200-3.5

Battery Pack 3.6V

5h

178 mm | 280 g | 9.9 oz

- Light Output¹ (lm)

(L) Charge Time² (Hours/Minutes)

Weight g (incl. Batteries) | oz

TECHNOLOGY

Warm Light Ability

Red Light Function Magnetic Charge System

Item no.

Light Output¹ (lm)

Charge Time² (Hours/Minutes)

Weight g (incl. Batteries) | oz

1,2 Information on the back

L Run Time¹ (h)

■ Battery Type

Rechargeable

Smart Light Technology

Micro Prism Technology

Price, MSRP (\$) USA | Canada

(L) Run Time¹ (h)

■ Battery Type

Rechargeable

Contents







ML <mark>6</mark> warm light	ML <mark>6</mark>			
Max.–min.	Maxmin.			
750-5	750-20			
200-3.5	70-4			
Battery Pack 3.6V	Battery Pack 3.6V			
5h				
Yes	Yes			
178 mm 280 g 9.9 oz	178 mm 280 g 9.9 oz			
1 set of rechargeable batteries, transport bag, USB cable, stand	1 set of rechargeable batteries, transport bag, USB cable, stand			

Contents	1 set of batteries, stand, transport bag, magnetic charging cable, remote control		
TECHNOLOGY			
Smart Light Technology	•		
Warm Light Ability	•		
Micro Prism Technology	•		
Red Light Function	•		
Magnetic Charge System	•		
Item no.	880567		
Price, MSRP (\$) USA Canada	119.95 USD CAD 161.95		

200-3.5	70-4		
Battery Pack 3.6V	Battery Pack 3.6V		
5h	5h		
Yes	Yes		
178 mm 280 g 9.9 oz	178 mm 280 g 9.9 oz		
1 set of rechargeable batteries, transport bag, USB cable, stand	1 set of rechargeable batteries, transport bag, USB cable, stand		
•	•		
•	-		
•	•		
•	•		
•	•		
502084	880446		
79.95 USD CAD 107.95	79.95 USD CAD 107.95		